

INDOXIN

**Indoxacarb 14.5% SC
(Systemic and Contact Insecticide)**

Indoxacarb (a.i.) 14.50 % w/w. Inactive enantiomer 6.00 % w/w. Amorphous Silicon Dioxide 7.00 % w/w. Polyethoxylated Polyaryl phenol 9.00 % w/w. Polyethoxylated Polyaryl phenol phosphate 6.00 % w/w. Distilled Methyl Soyate 57.50 % w/w. Total : 100.000 % W/W.

Direction Of Use : Please read enclosed leaflet before use.

Precautions :

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective Clothing while mixing and spraying.

Antidote : No specific antidote is known., Treat symptomatically.

First Aid : Please see enclosed Leaflet.

Symptoms : Please see enclosed Leaflet.

Recommendations : It is a Broad Spectrum contact and stomach insecticide used for the control of insect pests of Cotton, Tomato, Chilli, Cabbage and Pigeonpea.

Chemical Composition :

Indoxacarb (a.i.)	14.50 % w/w.
Inactive enantiomer	6.00 % w/w.
Amorphous Silicon Dioxide	7.00 % w/w.
Polyethoxylated Polyaryl phenol	9.00 % w/w.
Polyethoxylated Polyaryl phenol phosphate	6.00 % w/w.
Distilled Methyl Soyate	57.50 % w/w.
Total :	100.000 % W/W.

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

ఇండోక్సిన్

**ఇండోక్సాకార్బ్ ౧౪.౫% ఎస్.సి
(సిస్టెమిక్ మరియు కాంటాక్ట్ కీటనాశరకం)**

ఇండోక్సాకార్బ్ (ఎ.ఐ.) ౧౪.౫ % w/w. ఇనాక్టివ్ ఇనాన్టియమ ౬.౦౦% w/w అమాఫోస్ సిలికాన్ డైఆక్సైడ్ ౭.౦౦% w/w. వారి ఈథాక్సిలేటెడ్ వారిఆరిల్ ఫేనోల్ ౯.౦౦ % w/w. వారిఈథాక్సిలేటెడ్ వారిఆరిల్ ఫేనోల్ ఫాస్ఫేట్ ౬.౦౦ % w/w. డిస్టిల్డ్ మిథైల్ సోయేట్ ౫౭.౫౦% w/w. ఒట్టు: 100.000% W/W

Direction Of Use : Please read enclosed leaflet before use.

Precautions :

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective Clothing while mixing and spraying.

Antidote : No specific antidote is known., Treat symptomatically.

First Aid : Please see enclosed Leaflet.

Symptoms : Please see enclosed Leaflet.

Recommendations : It is a Broad Spectrum contact and stomach insecticide used for the control of insect pests of Cotton, Tomato, Chilli, Cabbage and Pigeonpea.

Chemical Composition :

Indoxacarb (a.i.)	14.50 % w/w.
Inactive enantiomer	6.00 % w/w.
Amorphous Silicon Dioxide	7.00 % w/w.
Polyethoxylated Polyaryl phenol	9.00 % w/w.
Polyethoxylated Polyaryl phenol phosphate	6.00 % w/w.
Distilled Methyl Soyate	57.50 % w/w.
Total :	100.000 % W/W.

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

ఇండోక్సాకార్బ్

**ఇండోక్సాకార్బ్ ౧౪.౫% ఎస్.సి
(సిస్టెమిక్ మరియు కాంటాక్ట్ కీటనాశరకం)**

ఇండోక్సాకార్బ్ (ఎ.ఐ.) ౧౪.౫ % w/w. ఇనాక్టివ్ ఇనాన్టియమ ౬.౦౦% w/w. అమాఫోస్ సిలికాన్ డైఆక్సైడ్ ౭.౦౦% w/w. వారి ఈథాక్సిలేటెడ్ వారిఆరిల్ ఫేనోల్ ౯.౦౦ % w/w. వారిఈథాక్సిలేటెడ్ వారిఆరిల్ ఫేనోల్ ఫాస్ఫేట్ ౬.౦౦ % w/w. డిస్టిల్డ్ మిథైల్ సోయేట్ ౫౭.౫౦% w/w. ఒట్టు: 100.000% W/W

Direction Of Use : Please read enclosed leaflet before use.

Precautions :

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective Clothing while mixing and spraying.

Antidote : No specific antidote is known., Treat symptomatically.

First Aid : Please see enclosed Leaflet.

Symptoms : Please see enclosed Leaflet.

Recommendations : It is a Broad Spectrum contact and stomach insecticide used for the control of insect pests of Cotton, Tomato, Chilli, Cabbage and Pigeonpea.

Chemical Composition :

Indoxacarb (a.i.)	14.50 % w/w.
Inactive enantiomer	6.00 % w/w.
Amorphous Silicon Dioxide	7.00 % w/w.
Polyethoxylated Polyaryl phenol	9.00 % w/w.
Polyethoxylated Polyaryl phenol phosphate	6.00 % w/w.
Distilled Methyl Soyate	57.50 % w/w.
Total :	100.000 % W/W.

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".



**INDOXIN
Indoxacarb 14.5% SC
(Systemic and Contact Insecticide)**

**ఇండోక్సిన్
ఇండోక్సాకార్బ్ 14.5% SC
(సిస్టెమిక్ మరియు కాంటాక్ట్ కీటనాశరకం)**

**ఇండోక్సిన్
ఇండోక్సాకార్బ్ 14.5% SC
(సిస్టెమిక్ మరియు కాంటాక్ట్ కీటనాశరకం)**

**ఇండోక్సిన్
ఇండోక్సాకార్బ్ ౧౪.౫% ఎస్.సి
(సిస్టెమిక్ మరియు కాంటాక్ట్ కీటనాశరకం)**

Caution: "Not to Be Used on Crops Other Than Specified on This Label/Leaflet".

**INSTRUCTIONS
FOR USE**



Read enclosed leaflet before use.
ఉపయోగించుటకు ముందు ఇతర పరిచయ కరమైన పత్రమును చదవండి.
ఉపయోగం చేసే ముందు సంబంధిత లీఫ్లెట్ చదవండి.

Manufactured & Marketed by:
AMISH CROP SCIENCES PVT. LTD.,
Survey No.: 172, Udmulapadu (VIII),
Dhone (Mandal), Nandyal (Dist.)-518 222,
Andhra Pradesh, INDIA.

उत्पादक और विपणनकर्ता :
अमिश क्रॉप साइंसेस प्राइवेट लिमिटेड,
सर्वे नंबर: 172, उडुमुलापाडु (गाम), डोन (मंडल),
नंद्याल (जिल्ला) 518 222, आन्ध्रप्रदेश, भारत

In Case of any Consumer Complaints Contact :
"Manager-Customer Care" Cell No.: +91 70750 68855,
Email: customercare@amishcropsciences.com Office : Agrisol House,
8-518/21, Allwyn Cross Roads, Miyapur, Hyderabad-500049, Telangana.
उपभोक्ता शिकायत-निर्देशक के लिए कस्टमर केयर मनेजर उपोक्त पते या कॉल पर उपलब्ध है।
*91 70750 68855, ई-मेल: customercare@amishcropsciences.com

Mfg. Lic. No. : KNL/49/COMM/PM/2018/5281
Reg. No. : CIR-194359/2021-Indoxacarb (SC) (432)-873

For Agricultural Use Only

EMPTY PACKAGES/CONTAINERS SHOULD BE DESTROYED AFTER USE



